ADDENDUM # 1

Date: October 31, 2012 To: All Bidders From: Village of Orland Park **RE: INSTRUCTION TO BIDDERS** IL Rte 7 (Wolf Road) / 153rd ST Bike Path This addendum becomes part of and modifies, amends, and clarifies the Bid Documents for the above mentioned project. All provisions and requirements of the Bid Documents shall remain in effect except as specifically changed below: This change amends Unit Price Bid Sheet and Summary of Quantities bid documents. Addendum # 1 Unit Price Bid Sheet and Summary of Quantities under Code Number 20100210 Tree Removal (over 15 units diameter) should be **units** not pounds and should be a quantity of 42 not 100. Bidder's Signature: Title (This signed addendum must accompany your bid submittal.)

UNIT PRICE BID SHEET

IL Rte 7 (Wolf Road) and 153rd Street Bike Path

Installing approx. 2580 feet of 8' wide HMA path, approx. 1000 feet of storm sewer, conc sidewalk, segmental block retaining wall, split-rail fencing, wooden fencing (on retaining wall), driveway removal/replacement, pedestrian signal improvements to existing traffic signal, pavement markings, earthwork, tree removal/relocation, landscaping, and temporary and permanent erosion control measures. These improvements will be installed along the west parkway of IL Rte 7 (Wolf Road) from 153rd Street to 962' north of 153rd Street and the south parkway of 153rd Street from Wolf Road to 108th Avenue (a distance of 2580 feet). The total length of improvements is 3542 feet (0.67 miles) in the Village of Orland Park as shown on the plans accompanying this bid.

The undersigned, having become familiar with the Documents, Construction Plans, and Specifications on file in the office of the Owner as designated in the Invitation to Bid, hereby proposes to provide and furnish all of the labor, materials, necessary tools, expendable equipment and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for and the work described in the following schedule in connection with the construction of the IL Rte 7 (Wolf Road) and 153rd Street Bike Path improvements.

Code Number	Items	Unit	Quantity	Unit Price	Total Cost
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	122		
20100210	TREE REMOVAL (OVER 15 UNITS DIAMETER)	UNIT	42		
20101000	TEMPORARY FENCE	FOOT	240		
20101200	TREE ROOT PRUNING	EACH	20		
20101300	TREE PRUNING (1 TO 10 INCH DIAMETER)	EACH	10		
20101350	TREE PRUNING (OVER 10 INCH DIAMETER)	EACH	10		
20200100	EARTH EXCAVATION	CU YD	1532		
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	117		
20800150	TRENCH BACKFILL	CU YD	250		
21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SQ YD	498		
21101615	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	5623		
25000210	SEEDING, CLASS 2A	ACRE	1.17		
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	106		
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	106		
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	106		
25100630	EROSION CONTROL BLANKET	SQ YD	5623		
25100632	TEMPORARY EROSION CONTROL SEEDING	POUND	62		
25200200	SUPPLEMENTAL WATERING	UNIT	34		
28000305	TEMPORARY DITCH CHECKS	FOOT	224		
28000400	PERIMETER EROSION BARRIER	FOOT	4123		
28000500	INLET AND PIPE PROTECTION	EACH	21		
28000510	INLET FILTERS	EACH	2		
28100105			22		
	STONE RIPRAP, CLASS A3	SQ YD			
28200200	FILTER FABRIC	SQ YD	22		i

Actide inclume 1	Items	Unit	Quantity	Unit Price	Total Cost
35101800	AGGREGATE BASE COURSE, TYPE B 6"	SQ YD	3240		
35600708	HOT-MIX ASPHALT BASE COURSE WIDENING, 8"	SQ YD	10		
40603335	40603335 HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N50		451		
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	594		
42400800	42400800 DETECTABLE WARNINGS		64		
44000100	PAVEMENT REMOVAL	SQ YD	10		
44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	244		
44000400	GUTTER REMOVAL	FOOT	31		
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	42		
44000600	SIDEWALK REMOVAL	SQ FT	261		
50105220	PIPE CULVERT REMOVAL	FOOT	90		
54213660	PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15"	EACH	1		
550A0340	STORM SEWERS, CLASS A, TYPE 2 12"	FOOT	124		
550A0360	STORM SEWERS, CLASS A, TYPE 2 15"	FOOT	132		
550A0380	STORM SEWERS, CLASS A, TYPE 2 18"	FOOT	568		
550A0430	STORM SEWERS, CLASS A, TYPE 2 30"	FOOT	262		
56500600	DOMESTIC WATER SERVICE BOXES TO BE ADJUSTED	EACH	1		
60200805	CATCH BASINS, TYPE A, 4'-DIAMETER, TYPE 8 GRATE	EACH	6		
60207605	CATCH BASINS, TYPE C, TYPE 8 GRATE	EACH	7		
60218400	MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	6		
60221100	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	1		
60221700	MANHOLES, TYPE A, 5'-DIAMETER, TYPE 8 GRATE	EACH	1		
60255500	MANHOLES TO BE ADJUSTED	EACH	5		
60257900	MANHOLES TO BE RECONSTRUCTED	EACH	3		
60265700	VALVE VAULTS TO BE ADJUSTED	EACH	1		
60402210	GRATES, TYPE 8	EACH	1		
60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	42		
67100100	MOBILIZATION	L SUM	1		
78000200	THERMOPLASTIC PAVEMENT MARKING LINE 4"	FOOT	51		
78000400	THERMOPLASTIC PAVEMENT MARKING LINE 6"	FOOT	24		

Addendumer1	Items		Quantity	Unit Price	Total Cost
78000600	THERMOPLASTIC PAVEMENT MARKING LINE 12"	FOOT	171		
78000650	78000650 THERMOPLASTIC PAVEMENT MARKING LINE 24"		113		
85000200	MAINTENANCE OF EXISTING TRAFFIC SIGNAL INSTALLATION	EACH	1		
87300215	ELECTRIC CABLE IN TRENCH, SIGNAL, NO. 142C	FOOT	181		
87300225	ELECTRIC CABLE IN TRENCH, SIGNAL, NO. 14 3C	FOOT	195		
88102717	PEDESTRIAN SIGNAL HEAD, LED, 1-FACE, BRACKET MOUNTED WITH COUNTDOWN TIMER	EACH	2		
88800100	PEDESTRIAN PUSH-BUTTON	EACH	2		
89502200	MODIFY EXISTING CONTROLLER	EACH	1		
X0322936	REMOVE EXISTING FLARED END SECTION	EACH	7		
X0426200	DEWATERING	L SUM	1		
X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	L SUM	1		
Z0013302	SEGMENTAL CONCRETE BLOCK WALL	SQ FT	3365		
Z0013797	STABILIZED CONSTRUCTION ENTRANCE	SQ YD	272		
Z0013798	CONSTRUCTION LAYOUT	L SUM	1		
Z0033044	RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM LEVEL 1	EACH	1		
Z0042002	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	117		
Z0055900	RUSTIC WOOD POST AND RAIL FENCE	FOOT	140		
Z0056604	STORM SEWER (WATER MAIN REQUIREMENTS) 8 INCH	FOOT	12		
Z0056614	STORM SEWER (WATER MAIN REQUIREMENTS) 21 INCH	FOOT	14		
ZZZZ001	TIMBER RAILING	FOOT	568		
ZZZZ002	SALVAGE AND TRANSPLANT TREE (SPECIAL)	EACH	31		
ZZZZ003	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	1113		
ZZZZ004	ITEMS AS ORDERED BY THE ENGINEER	UNIT	5000	\$1.00	\$5,000.00

TOTAL AMOUNT

(Enter this amount as Total Bid Price on bidder summary sheet)

The foregoing total shall be the basis for establishing the amount of the labor and payment and performance bonds and is not to be construed as a lump sum Contract Price. The actual number of units used will determine the final cost of the project.

detail number of time adda will determine the linar cost of the project.
Bidder/Contractor:
 Firm Name:
Signed:
Title:
 Dated:
Attest:

Γ			I		l	TOTAL	1
			ITEM NO.	DESCRIPTION	UNIT	ESTIMATED QUANTITY	
L		1	20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	LINIT	122	
				5		~~~	
	Ī	2	20100210	TREE REMOVAL (OVER 15 UNITS DIAMETER)	UNIT	42	15
-	 						(}
*	 	-	00404000				1
<u> </u>	<u> </u>	3	20101000	TEMPORARY FENCE	FOOT	240	1
							1
L.	+	4	20101200	TREE ROOT PRUNING	EACH	20]
							1
•	+	5	20101300	TREE PRUNING (1 TO 10 INCH DIAMETER)	EACH	10	1
-	-	 	<u> </u>		-		1
-	-	-	05404050		5101		1
L	+	6	20101350	TREE PRUNING (OVER 10 INCH DIAMETER)	EACH	10	1
<u></u>							
		.7	20200100	EARTH EXCAVATION	CUYD	1532	
							1
Г	1	8	20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CUYD	117	1
\vdash	-				-		1
<u> </u>	_	-					1
_		9	20800150	TRENCH BACKFILL	CUYD	250	1
	L]
•		10	21001000	GEOTECHNICAL FABRIC FOR GROUND STABILIZATION	SQ YD	498	
			 				1
—	+	11	21101815	TOPSOIL FURNISH AND PLACE, 4"	SQ YD	5623	1
	T		21101010	TOPSOIL FORMISH AND POACE, 4	- CG 12	3023	-
_							
L	+	12	25000215	SEEDING, CLASS 2A	ACRE	1.17	
	+	13	25000400	NITROGEN FERTILIZER NUTRIENT	POUND	108	1
\vdash	 	1					1
-	+	14	25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	106	1
<u> </u>	T	-	2300000	PROSERVINOS PER ILIZER NO INCRI	FOUND	,00	ł
	+	15	25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	106	
T	+	16	25100630	EROSICN CONTROL BLANKET	SQ YD	5623	1
 	 	 					i
	_	17	25100632	0.00	POUND	52	i
_	-	-17	25100632	TEMPOPARY EROSION CONTROL SEEDING	FOUND	52	
*	+	18	25200200	SUPPLEMENTAL WATERING	UNIT	34	1
						·	İ
		19	28000305	TEMPORARY DITCH CHECKS	FOOT	224	1
							1
 		20	28000400	PERIMETER EROSION BARRIER	FOOT	4123	1
 	-		20000400	F Change (ER) ERCORUM BARRIER		7143	1
		ļ					
		21	28000500	INLET AND PIPE PROTECTION	EAGH	21	
L							
		22	28000510	INLET FILTERS	EACH	2	
						7	
-		23	28100105	STONE RIPRAP, CLASS A3	\$0 YD	22	
 			20100100	STORE THE STORY AND ADDRESS OF THE STORY AND ADDRESS OF THE STORY ADDRES	~~ 10		
<u> </u>		-					
		24	28200200	FILTER FABRIC	SQ YD	22	l
		25	35101800	AGGREGATE BASE COURSE, TYPE B 6"	SQ YD	3240	
-							
-		26	35600708	HOT-MIX ASPHALT BASE COURSE WIDENING, 8°	SQ YD	10	
		20	350U07U6	HOT-MIX ASPHALT BASE COURSE WIDENING, 8"	30 10	10 .	
		27	40603335	HOTHMIX ASPHALT SURFACE COURSE, MIX "D", N50	TON	451	
		28	42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SQ FT	594	
							l

_			T	Г	т-	70741
	-		ITEM NO.	DESCRIPTION	UNIT	TOTAL ESTIMATED QUANTITY
	-	29	42400800	DETECTABLE WARNINGS	3Q FT	64
	—			AND THE RESIDENCE OF THE PARTY	\dagger	
		30	44000100	PAVEMENT REMOVAL	SQ YD	10
	-				+	
-	\vdash	31	44000200	DRIVEWAY PAVEMENT REMOVAL	SQ YD	244
\vdash	 		 		-	
\vdash	 	32	44000400	CUSTED BENDAM	FOOT	31
-	├	-	47300700	GUTTER REMOVAL	1001	
-	├				-	
<u></u>	├	33	44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	42
<u></u>	<u> </u>	_		the state of the s	5Q FT	
<u>_</u>	<u> </u>	34	44000600	SIDEWALK REMOVAL		261
	_		- CONTRACTOR CONTRACTO			
	<u> </u>	35	50105220	PIPE CULVERT REMOVAL	FOOT	90
L		38	54213660	PRECAST REINFORGED CONGRETE FLARED END SECTIONS 15"	EACH	1
	Γ					
Г		37	550A0340	STORM SEWERS, CLASS A, TYPE 2 12"	FOOT	124
	\vdash	38	550A0360	STORM SEWERS, CLASS A TYPE 2 15"		132
	 		†		1	
-	 	39	550A0380	STORM SEWERS, CLASS A, TYPE 2 18"	FOOT	588
\vdash						
-	-	40	550A0430	STORM SEWERS, CLASS A TYPE 2 30"	FOOT	262
-			2000000	STORM SERERS, CLASS A TIFE 230	1001	202
\vdash	-	-	F0700000		FIRM	
<u></u>	+	41	56500600	DOMESTIC WATER SERVICE BOXES TO BE ADJUSTED	EACH	1
<u></u>	<u></u>	42	60200805	CATCH BASINS, TYPE A, 4-DIAMETER, TYPE 8 GRATE	EACH	6
		43	60207605	CATCH BASINS, TYPE C, TYPE S GRATE	EACH	7
L						
		44	60218400	MANHOLES, TYPE A. 4"-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	6
					T	
Г		45	60221100	MANHOLES, TYPE A. 5-DIAMETER, TYPE 1 FRAME, CLOSED LID	EACH	1
1		46	60221700	MANHOLES, TYPE A. 5-DIAMETER, TYPE 8 GRATE	EACH	1
Γ						
	<u> </u>	47	60255500	MANHOLES TO BE ADJUSTED	EACH	5
一	l					,
1	\vdash	48	60257900	MANHOLES TO BE RECONSTRUCTED	EACH	3
 	-	<u> </u>				
 	-	49	60265700	VALVE VAULTS TO BE ADJUSTED	EACH	1
\vdash			W200700	THEY EVALUE TO BE ADJUSTED		
 , -	 	E0.	00400040	CDATEC TVDE 8		
<u> </u>	-	50	60402210	GRATES, TYPE 8	EACH	1
<u> </u>	<u> </u>				<u> </u>	
_	<u> </u>	51	60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE 8-6.12	FOOT	42
_					\vdash	
	ļ	52	67100100	MOBILIZATION	L SUM	1
$oxed{oxed}$	-					
	+	53	78000200	THERMOPLASTIC PAVEMENT MARKING LINE 4"	FOOT	51
*	+	54	78000400	THERMOPLASTIC PAVEMENT MARKING LINE 6"	FOOT	24
	+	55	78000600	THERMOPLASTIC PAVEMENT MARKING LINE 12"	FOOT	171
	+	56	78000650	THERMOPLASTIC PAVEMENT MARKING LINE 24"	FOOT	113
					\vdash	

	-	ITEM NO.	DESCRIPTION	UNIT	TOTAL ESTIMATE QUANTIT
1	57	85000200	MAINTENANCE OF EXISTING TRAFFIG SIGNAL INSTALLATION	EAGH	1
4	- 58	87300215	ELECTRIC CABLE IN TRENCH, SIGNAL, NO. 14 20	FOOT	181
-	- 59	87300225	ELECTRIC CABLE IN TRENCH, SIGNAL, NO. 14 3C	FOOT	195
			PEDESTRIAN SIGNAL HEAD, LED, 1-FACE, BRACKET MOUNTED		
- 1 1	- 60	88102717	WITH COUNTDOWN TIMER	EACH	2
1	- 61	88800100	PEDESTRIAN PUSH-BUTTON	EACH	
+	- 62	89502200	MODIFY EXISTING CONTROLLER	EACH	
	ļ				
-	63	X0322936	REMOVE EXISTING FLARED END SECTION	EACH	7
	64	X0426200	DEWATERING	_ SUM	
	65	X7010216	TRAFFIC CONTROL AND PROTECTION, (SPECIAL)	LSUM	- 1
+	- 66	Z0013302	SEGMENTAL CONGRETE BLOCK WALL	5Q FT	3365
-	67	Z0013797	STABILIZED CONSTRUCTION ENTRANCE	5Q YD	272
	58	Z0013798	CONSTRUCTION LAYOUT	LSUM	
1	-	1			
+	69	Z0033044	RE-OPTIMIZE TRAFFIC SIGNAL SYSTEM LEVEL 1	EACH	
*	70	Z0042002	POROUS GRANULAR EMBANKMENT, SUBGRADE	סע עס	117
-	71	70055900	RUSTIC WOOD POST AND RAIL FENCE	FOOT	140
+					
	72	Z0056604	STORM SEWER (WATER MAIN REQUIREMENTS) BINCH	FOOT	12
*	73	20056814	STORM SEWER (WATER MAIN REQUIREMENTS) 21 INCH	FOOT	14
+	74	ZZZZ001	TIMBER RAILING	FOOT	568
+	75	ZZZZ002	SALVAGE AND TRANSPLANT TREE (SPECIAL)	EACH	31
	76	ZZZZ003	PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH	SQ FT	1113
	77	2272004	ITEMS AS ORDERED BY THE ENGINEER	UNIT	5000

* PROVISIONAL ITEM + SPECIALTY ITEM

EARTH EXCAV	ATION 5	UMMARY TABLE	
IN CU YD	EART	H EXCAVATION	
	CUT	TOPSOIL STRIP *	FILL
WOLF RD PATH	237	233	354
WOLF RD BLOCK WALL	55	0	0
153RD ST PATH	316	567	383
153RD ST BLOCK WALL	124	0	0
TOTAL =	732	800	737

CHRISTOPHER B. BURKE ENGINEERING, LTD.
9575 W. Higgins Road, Suite 600
Rosemont, Illinois 60018
(847) 823-0500



-	I F NAME	N-\ORLANDPARK\110166\CIVII\SOO1 110166 SHT					\neg
NO.	DATE	NATURE OF REVISION		CHKD.	MODEL:	Default	
1	10/31/12	REVISED ITEM 2 UNIT AND QUANTITY	844		CAD USER:	bluke	
					PLOT DATE:	10/8/2012	
					SCALE:	NTS	
					CHKD.	JGS	
					DWN.	EDT	
					DSGN.	BLL	

IL RTE 7 (WOLF RD) / 153rd ST BIKE PATH SUMMARY OF QUANTITIES

	PROJ. N	0. 1101	166
Н	DATE:	8/31/	2012
•	SHEET	3 OF	47
	DRAWING	NO.	
		SOQ-1	